

# Professional Road Lighting Solutions Provider

Providing superior, cost-effective, and reliable road lighting solutions



### **Best Road Lighting Supplier**


9 years of experience in road lighting project.

23 years of expertise in lighting manufacture.

Hundreds of optics support by professional optical engineers team.


Global quality standards with CE, RoHS, CB, ENEC, ENEC+ certifications.


Serving overseas customers in 70 countries.











Product Design

Global Certification

Optical Design


Smart ontrol systems

#### **About Us**

Aimlux is dedicated to providing superior, cost-effective, and reliable road lighting solutions, customized to meet customers' needs.

We boast specialized and highly experienced teams dedicated to bid study, product match, lighting simulation, bid document submission, and sample provision to support your projects comprehensively.





















#### Comprehensive technical support and services

At Aimlux, we boast specialized and highly experienced teams dedicated to bid study, product match, lighting simulation, bid document submission, and sample provision to support your projects comprehensively.

Additionally, we have established Aim Optics System with leading optic suppliers, provide hundreds type of optics lens for each product. We also provide customized optics to meet specific project requirements.

With Aimlux, you can expect dedicated expertise and tailored solutions to enhance the success of your lighting projects.

#### **Factory & Product Certifications Quality Assurance**

At Aimlux, our road lighting products are backed by extensive certifications and test reports, including IP, IK, CE, RoHS, CB, ENEC, IEC62471, LM80, LM79, and more. These certifications ensure that our products meet stringent quality and safety standards.

We have a deep partnership with TUV certification authority, enabling us to quickly provide certification services or support when you need specific certifications for your projects.

Aimlux is committed to delivering certified and high-quality road lighting solutions tailored to your requirements.



AL-SSB2 is a fully integrated all-in-one solar street light, combining high-power solar panels, largecapacity batteries, high-brightness LED chips, and PIR motion sensors. Its streamlined design offers superior protection and minimal wind resistance. This series significantly reduces installation, commissioning, and maintenance costs, making it ideal for engineering projects, rural and urban roads, highways, parks, and more.

#### **Product Features**

- *High luminous efficacy > 180 lm/W*
- High-performance LiFePO4 battery with 3000 cycles and over 10 years of lifespan, operating from -20°C to 50°C.
- Professional road optical lens controls light for precise and effective illumination, improving lighting efficiency by 35%.
- Streamlined design offers superior protection and minimal wind resistance.
- Adjustable mounting bracket supports both vertical and horizontal installation.

#### **Design Highlights**



Streamlined design

**Application** 

URBAN &MOTORWAYS &RESIDENTIAL SIREET'S

Adjustable mounting bracket



&PEDESTRIAN **PATHS** 



**BRIDGES** 



Professional road optical

lens

CAR PARKS



**PEDESTRIAN AREAS** 



Smart Control System

**METROS** 

#### **Technical Parameters**



Aim High, Lighting with Aimlux!

| Technical Faranicters            |                                       |  |  |  |  |  |  |
|----------------------------------|---------------------------------------|--|--|--|--|--|--|
| General                          |                                       |  |  |  |  |  |  |
| Working Temperature              | Temp:-20°C -+50°C<br>Humidity:10%-95% |  |  |  |  |  |  |
| Working time                     | 2-4 Days                              |  |  |  |  |  |  |
| Protect Grade                    | IP66/ IK08                            |  |  |  |  |  |  |
| Electrical class                 | Class III EU                          |  |  |  |  |  |  |
| Materials                        | Aluminium+PC                          |  |  |  |  |  |  |
| Finish                           | Polyester powder coating              |  |  |  |  |  |  |
| Color                            | RAL 9005                              |  |  |  |  |  |  |
| Lifetime expectancy              | 10 Years                              |  |  |  |  |  |  |
| Warranty                         | 5 Years                               |  |  |  |  |  |  |
| Control                          | PIR Sensor(Optional)                  |  |  |  |  |  |  |
|                                  | Microwave senser(Optional)            |  |  |  |  |  |  |
|                                  | Time control(Optional)                |  |  |  |  |  |  |
|                                  | Zhaga socket (Optional)               |  |  |  |  |  |  |
| LED Module                       |                                       |  |  |  |  |  |  |
| Optic                            | Type-II/Type-III                      |  |  |  |  |  |  |
| LED colour temperature           | 2200K-6500K                           |  |  |  |  |  |  |
| CRI                              | > 70/ > 80                            |  |  |  |  |  |  |
| Lifetime of the LEDs<br>@Tq 25°C | 100,000h- L95                         |  |  |  |  |  |  |

| Solar Panel                           | Turringir, Lighting With Turring . |  |  |  |  |
|---------------------------------------|------------------------------------|--|--|--|--|
| Technology                            | Monocrystalline silicon cells      |  |  |  |  |
| Power(W)                              | 60/100/130                         |  |  |  |  |
| Short Circuit Current:                | 6.67A                              |  |  |  |  |
| Max operating Voltage:                | 21.6V                              |  |  |  |  |
| Lifetime expectancy                   | 25 years                           |  |  |  |  |
| Battery                               |                                    |  |  |  |  |
| Technology                            | LiFePo4                            |  |  |  |  |
| Voltage                               | 12.8V                              |  |  |  |  |
| Capacity(Ah)                          | 45/60/75                           |  |  |  |  |
| Operating temperature                 | -20°C to 55°C  -4°F to 131°F       |  |  |  |  |
| Matterial box                         | Aluminium                          |  |  |  |  |
| Battery charging & discharging cycles | 3000 time                          |  |  |  |  |
| Lifetime expectancy                   | >10 years                          |  |  |  |  |
| Charge controller type                | MPPT                               |  |  |  |  |

#### **Product Dimensions**









| Family   | Power<br>(W) | Lumens<br>(Lm) | Product<br>Size(mm) | Packing<br>Size(mm) | NW<br>(Kg) | GW<br>(Kg) | 20GP<br>(Pcs) | 40GP<br>(Pcs) |
|----------|--------------|----------------|---------------------|---------------------|------------|------------|---------------|---------------|
| AL-SS-B2 | 20W          | 4000           | 697*361*209         | 790*430*150         | 7.6        | 8.7        | 519           | 1342          |
|          | 50W          | 10000          | 846*361*209         | 940*430*150         | 8.6        | 9.7        | 436           | 1128          |
|          | 80W          | 16000          | 1096*361*209        | 1150*430*150        | 12.8       | 14         | 356           | 922           |

#### **Accessories**









Remote Control

PIR Sensor

Microwave senser

Zhaga socket

#### **Global Quality Standard**

Our factory is ISO9001 and ISO14001 certified, offering OEM/ODM/SKD services. With a professional production and QC team, we ensure high-quality products at competitive prices, backed by excellent service.



ISO 9001:2015 ISO



14001:2015



SGS



TUV-CB



ENEC







MSDS



IP-66 Test



IK-10 Test




Salt-frog-test



Vibration-test







Brazil



Philippines



Poland

## Shenzhen Aimlux Technology Co., Ltd

Web: www.aimluxlighting.com

®Tel: +86 0755-29307924

#### Headoffice (Shenzhen)

Building 10, Longping Community, Dalang Street, Longhua District, Shenzhen, China

#### Production Base (DongGuang)

No. 19, Gongye 1st Road, Hengli Town, Dongguan City, Guangdong Province, China

#### Thailand Office (Bangkok)

2198, 2206 Sukhumvit Rd, Phra Khanong Tai, Phra Khanong, Bangkok 10260, Thailand